

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"6570875".pn.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/01/22 09:35
L2	4	"2003002438"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/01/22 10:14
L3	2	"20030002438"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/01/22 10:15
L4	2	"6401128".pn.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/01/22 10:15
L8	164	(option adj2 field) near10 address	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/01/22 10:45
L9	6654979	extract\$4 retriev\$4 obtain\$4 access\$4 recover\$4 remov\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/01/22 10:47
L10	3568633	format\$4 setup edit\$4 processing organiz\$4	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/01/22 10:49
L11	21	8 near15 9	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/01/22 10:49
L12	20	11 and 10	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/01/22 10:49
L13	12	(@ad<"20031030" @rlad<"20031030") and 12	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/01/22 10:50
L14	2	"20050010668"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/01/22 12:54
S1	37	(option adj2 field) near10 packet near10 address	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/01/22 10:45

S2	27	(@ad<"20031030" @rlad<"20031030") and S1	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/01/22 10:49
S3	13	(@ad<"20031030" @rlad<"20031030") and S1 and (extract\$4 retriev\$4)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/01/20 17:07
S4	10	(@ad<"20031030" @rlad<"20031030") and S1 and ((extract\$4 retriev\$4) same address)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/01/22 09:35